## Lightweight Emergency Portable Power Station Rechargeable Generator 300W 296wh

#### **Basic Information**

• Place of Origin: Guangdong, China

Brand Name: ENIKOL
Model Number: EPA-296
Minimum Order Quantity: 100 pieces

• Price: \$140.00/pieces 100-499 pieces



#### **Product Specification**

Power Source:
AC Adaptor, Car, Solar Panel, Other

Battery Type: Lithium Ion

• Inverter Type: Modified Sine Wave

• Controller Type: NONE

• Special Features: Type C, USB, DC, Solar Panels, Car

Charger, LED

AC Voltage: 100-120V/60Hz, 220V-240V/50Hz
Battery Capacity: 296Wh (80000mAh, 3.7V)
Rated Power: 300W (330W Max)
Size: 215\*150\*205mm

• N.W: 3kg

Charging: Adapter, Car Charger, Solar Panels, Type-C

• LED Light: 4 Modes(Low-Medium-High-SOS)

Cycle Life: ≥500 Times Warranty: 1 Year



### More Images











#### **Product Description**


Lightweight 296wh Emergency Portable Rechargeable Generator Battery 300w Portable Solar Power Station Specification

| item            | value   |  |
|-----------------|---------|--|
| Model Number    | EPA-296 |  |
| Place of Origin | China   |  |

# Our Produ

|                             | Guangdong   |
|-----------------------------|---|
| Brand Name                  | ENIKOL  |
| Power Source                | AC Adaptor, Car, Solar Panel, Other                         |
| Battery Type                | Lithium Ion   |
| Inverter Type               | Modified Sine Wave  |
| Special Features            | Type C, USB, DC, Car charger port                           |
| AC Voltage                  | 100-120V/60Hz, 220V-240V/50Hz                               |
| Battery Capacity            | 296Wh (80000mAh, 3.7V)                                      |
| Rated Power                 | 300W (330W Max)   |
| Size                        | 215*150*205mm   |
| N.W                         | 3kg   |
| Charging                    | Adapter, Car charger, Solar Panels, Type-C                  |
| LED Light                   | 4 modes(Low-Medium-High-SOS)                                |
| Cycle Life                  | ≥500 times  |
| Warranty                    | 1 Year  |
| Battery Protection Function | Over current/ Overdischarge/ Short Circuit/ Overtemperature |

## **Product Description**



## **POWERFUL INTERNAL EXTERNAL MAINTENANCE**

Quality assurance, safety and stability











DIGITAL DISPLAY



USB\*2



PD65W


TYPE-C\*1











## **NTELLIGENT LED WORKING DISPLAY** Scientific and technological life intelligent display, at a glance **USB USB BATTERY** OUTPUT OUTPUT REMAINING ELECTRICITY USB DC CHARGE INSTRUCTIONS • DC IN o OUTPUT TYPE-C AC TYPE-C LED OUTPUT INPUT / OUTPUT instructions





It can meet the power demand of different electrical appliances, Easily solve the power problem of outdoor entertainment Office





## MULTIPLE AC OUTPUT OPTIONS MEET YOUR NEEDS

American / Japanese / European regulations





## **PRODUCT PARAMETERS**





| Capacity                   |       |                 | 296Wh(or 80000mAh,3.7V)   |
|----------------------------|-------|-----------------|---|
| Built-in Battery           |       |                 | High Quality Lithium Ion Batteries  |
| Charging Methods           |       |                 | Adapter: DC 19V/2.5A(2.8A Max)  |
|                            |       |                 | Car charger: 12~28V/2.5A (2.8A Max)   |
|                            |       |                 | Solar panels: 5~28V/2.5A  |
|                            |       |                 | Type-C: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A(PD65W                                   |
| Charging time              |       |                 | Adapter: 7~8hours (48W)   |
|                            |       |                 | Car charger: 10~12 hours(30W)   |
|                            |       |                 | Solar panel: 6~7 hours (100W solar panel charger)                                   |
|                            |       |                 | Type-C PD: 5~6 hours (65W)  |
| 0utput 2 1 4               | AC    |                 | 100~120V/60Hz 10%; 220~240V/50Hz 10%;<br>Rated power 300W(330W Max)                 |
|                            | 2* U  | SB              | 5V/2.4A、5V/2.4A   |
|                            | 1 * U | SB              | 5V/2A、9V/2A、12V/1.5A(QC3.0 18W)   |
|                            | 1 * T | ype-C           | 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A (PD65W)   |
|                            | 4 * D | С               | 12V/10A 120Wφ5.5mm  |
|                            | 1 * C | ar charger port | 12V/10A,120W (Maximum 130W for 4DC and 1 car charger                                |
| LED 4 modes (Lo            |       | 4 modes (Le     | ow-Medium-High-SOS) 10W/500lm   |
| Cycle life > 500 tim       |       | > 500 time:     | 5   |
| Weight 3KG                 |       | 3KG             |   |
| Size 215*150*20            |       | 215*150*20      | 95mm/8.46*5.9*8.07inches  |
|                            |       | -10~40°C        |   |
| Storage temperature -10~40 |       | -10∼40°C        |   |
|                            |       |                 | power station; 1 x wall charger; 1 x car charger(Car charger 1 x instruction manual |





To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

### What services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW,FCA,DDP

Accepted Payment Currency:USD,EUR,AUD,CNY;

 $\label{prop:control} \mbox{Accepted Payment Type: T/T,L/C,D/P D/A,MoneyGram,Credit Card,PayPal,Western Union,Cash;} \\$ 

Language Spoken:English,Chinese,Spanish,Japanese,French

## **ENIKOL** Damien New Energy Technology (Shenzhen) Co., Ltd.

